

TITAN 3

TIME-LAPSE CAMERA SYSTEM



The new TITAN 3 is a result of deploying over 100 Tbox time-lapse cameras over the last 5 years. Feedbacks and improvements were made by our time-lapse specialist and community to create the best time-lapse camera system.




Time-lapse with Canon, Nikon & Sony DSLR

TITAN 3 works with most Canon, Nikon & Sony cameras including popular DSLRs & mirrorless systems like the Canon 80D, 5D, Nikon D3500, D750, and the Sony Alpha A7 series. Check out the list of supported cameras.

Camera Fit


TITAN 3 case will fit cameras & lens within these dimensions.






Live Monitoring & Remote Control

With the TITAN 3 REMOTE, you can “watch” your time-lapse live in action, and remotely adjust your camera settings instantly. Login from a PC or Mac, or a mobile device - anytime, anywhere.




Instant Access to Photos

TITAN 3 REMOTE is synced to your Google Data Cloud for image backup and storage. Sync the images to your computer for backup and quick access. Share the images with your clients instantly.



Future Proof with 6K & Beyond

Other time-lapse systems record with CCTV or webcam resolution. But TITAN 3 is future proof because it works with Canon DSLRs to capture high-resolution photos to produce awesome 6K videos and beyond.



3 Data Storage Points











With most long-term time-lapse lasting several years, protecting your precious images is paramount. The captured images are kept in the TITAN 3 micro-processor and synced to your Google Cloud & local storage

Universal Mounting System

TITAN 3 uses a uniform mounting bracket for the time-lapse camera, solar charger & solar battery unit. The bracket is adaptable for column mount, pole mount, and wall mount. So you spend less time worrying about installation and more time making great time-lapse videos.



TITAN 3 Comparisons

| TITAN 3 Basic AC | TITAN 3 Basic Solar | TITAN 3 Remote AC | TITAN 3 Remote Solar |
|---|--|---|---|
|  TITAN 3  AC |  TITAN 3  Solar |  TITAN 3  AC  4G / WiFi Remote Unit |  TITAN 3  Solar  4G / WiFi Remote Unit |
| US\$3500 | US\$3700 | US\$4500 | US\$4700 |

TITAN 3 Specifications

TITAN 3 Case

| | |
|-----------------------------|--|
| Exterior Dimensions | 300 x 249 x 196mm (L x W x D) |
| Interior Dimensions | 230 x 180 x 170mm (L x W x D) |
| Case Manufacturer | Pelican Storm Case IM2075 |
| Box Material | Injection Molded HPX Resin |
| IP Rating | IP65 |
| Front Lens Material | 5mm Clear Glass |
| Net Weight with Parts | 2.6kg |
| Total Weight With Camera | 8kg |
| Camera Lens Max. Diameter | 77mm |
| Camera and Lens Max. Length | 165mm |
| Camera Mount | Quick Release (Manfrotto 557 Compatible) |
| Max. Camera Roll Angle | 15 Degrees |

Remote Module

| | |
|------------------------|---|
| Working Temperature | 0 to 55 Degree Celcius |
| CPU | Intel® Atom™ x5 Z8350 Processor 64 bit - up to 1.92GHz |
| Storage | 64GB (Usable 40GB) |
| Networking | 802.11n WiFi |
| SIM Card Compatibility | 4G - LTE B1/B3/B8/B38/B39/B40/B41 3G - WCDMA2001/900Mhz 3G - TD-SCDMA B34/B39 |
| I/O | HDMI, 1 x USB 3.0 x 1, SIM card |
| Supply input | 12V |
| Power Input | 80W max |
| Power output | 80W max typical 8W |
| Operating humidity | 10% - 80%RH non-condensing |

Solar Panel & Batteries

| | |
|-------------------------|------------------------------------|
| Dimension | 1070 x 535 x 25mm |
| Solar Panel Material | 2 x 40watt Monocrystalline Silicon |
| Battery Casing Material | Stainless Steel |
| Battery Casing size | 535 x 150 x 100 mm |
| Battery Type | 40AH Lithium Ion Pack |
| Solar Controller | MPPT 12V |
| IP Rating | IP 65 |
| Working Temperature | -5 to 50 Degree Celcius |
| Net weight | 15 kg |

contact : +65 6391 1953
 web : www.tbox-timelapse.com
 email : info@tbox-timelapse.com